



OTHER PRODUCTS



THICKNESS 1.5 mm



stunning and elegant look

THICKNESS 1.5 mm  
ANTI SCRATCH (6H)



# CHARMING LIVING

**mann**  
Your Dreams into Reality



**GLAZZE**  
ACRYLIC LAMINATE

## ABOUT US

We Offer Simple, Innovative & Elegant Wall-paneling Products that Inspire the Awe of Onlookers!

Simply speaking, we offer products that we use in our own homes and offices. When it comes to the decorative charcoal panels, alabaster, onyx, mosaic highlighter and louver planks to adorn the interiors/exteriors of domestic and commercial spaces, we are second to none. With years of experience under our belt, we are relied on for the finest possible quality at the best prices.

We Understand Your Needs! In our core, we believe in choices for everyone!


Our products are manufactured as per the internationally accepted standards of quality. Quality is the foremost priority for us and our customers know that. Taking into consideration the ever-increasing demands of our customers, we have been consistently increasing the products in our inventory. We understand that interiors with a trendy look are much in vogue, but not all can afford the luxury. This is the reason why we are committed to provide you style within budget.

Driven by our principles of excellence and ethics, we are moving forward with a mission to adorn as many homes as possible with our products.



APPLICATION

- KITCHEN** Worktops, Tables, Doors, Shelves, Cabinets, Trolleys
- BATHROOM** Worktops, Shelves, Cabinets
- FURNITURE**
- HEALTHCARE** Wall Lining And Horizontal Surfaces, Lockers, Cabinets, Trolleys
- COMMERCIAL**
- HOSPITALITY & RESTAURANT TABLES** Counter Tops, Doors, Cubicles, Lockers, Cabinets
- WALL CLADDING & PARTITION**



Available in Size  
2440mm X 1220mm (8ft X 4ft)  
Thickness: 1.5-1.3mm



Shake it well & lightly spray on the surface



Wipe the surface clean using a light circular motion



1.5 mm THICKNESS



TERMITE & BORER FREE



DURABILITY & STRENGTH



LIGHT WEIGHT



WATER & STAIN PROOF



IDEAL FOR VERTICAL APPLICATION

Glazze is an exceptional offering by none other than Mann for you to Experience The Luxury. This collection of 100% acrylic laminate is the epitome of beauty and flamboyance. With high gloss finish and 6H Anti Scratch layer, the Glazze collection also delivers on functionality and not just on aesthetics. The Glazze decorative acrylic laminates & panels are available in a wide variety of colors to ensure they can complement almost any décor. On top of that, these marvelous surfaces are manufactured as per international quality standards, which ensures these surfaces last a long time without any of its features diminishing.

So, bring in this exclusive collection high gloss acrylic laminates with anti-scratch features to give your space a wonderful gift of brilliance.

**CLEANING INSTRUCTION AND MAINTENANCE**

GLAZZE High gloss acrylic laminates comes protected with a high-quality protective film which is only removed at the completion of all installation work. After the protected film is removed, there is still presence of solvent from the adhesive coating of the protective film on the surface of the high gloss acrylic laminate. An electrostatic charge is built-in and attracts dust onto the surface of the panel.

During this time, the acrylic laminate surface also cures out under the influence of normal air humidity. Under normal circumstances, the 'Curing' process will take approximately 72 hours for the surface to be totally cured. In order to speed up the process, we recommend cleaning the high gloss surface with COLIN Glass Cleaner and soft Micro fiber cloth.

**WARNING**

DO NOT use any of the following cleaning products. | Alcohol-based cleaners | Solvent-based cleaners  
Petrol, pinewood or oil based cleaners | Cloth other than a micro fiber



ANTI YELLOW  
&  
6H  
Anti Scratch

SGS  
CERTIFICATE



TEST REPORT

No. : GZIN2108045945PS  
Date : Aug 16, 2021  
Page: 1 of 4



CUSTOMER NAME: MANN INFRA TRADING  
ADDRESS: 78/619, 1<sup>ST</sup> FLOOR, MOTILAL NAGAR NO.1, OPP.SIDDHARTH HOSPITAL, GOREGAON (W), MUMBAI-400104.

Sample Name : ACRYLIC SHEET  
Product Specification : 1.5\*1220\*2440MM  
Product or Lot No. : K-002  
Other Information : BRAND NAME-GLAZZE

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Aug 09, 2021  
Testing Start Date : Aug 09, 2021  
Testing End Date : Aug 16, 2021

Test result(s) : For further details, please refer to the following page(s)  
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for  
SGS-CSTC Standards Technical  
Services Co., Ltd. GZ Branch Testing  
Center

Quincey lee  
Authorized signatory



TEST REPORT

No. : GZIN2108045945PS  
Date : Aug 16, 2021  
Page: 3 of 4

Test Item: Pencil Hardness  
Sample Description: Plastic panel  
Test Method: ISO 15184:2020  
Lab Environmental Condition: (23± 2)°C, (50± 5)%RH  
Test Condition:  
Test Pencil: Mitsubishi® Uni  
Load: (7.35±0.15) N

Test Item	Result (See note)	Client's requirement	Conclusion
Pencil Hardness	No Scratch with 6H pencil	No Scratch with 6H pencil	Pass

Note:  
1. In Mitsubishi® Uni test pencil, 9H is the hardest and 6B is the softest.  
6B-5B-4B-3B-2B-B-HB-F-H-2H-3H-4H-5H-6H-7H-8H-9H  
softer-----harder

2. Type of defect: Scratch  
3. The protected film was ripped off before test.

Test Photo:



TEST REPORT


No. : GZIN2108045945PS  
Date : Aug 16, 2021  
Page: 2 of 4

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Pencil Hardness	ISO 15184:2020	No Scratch with 6H pencil	Pass

Note:  
Pass : Meet the requirements;  
Fail : Does not meet the requirements;  
/ : Not Apply to the judgment.

Original Sample Photo:



TEST REPORT

No. : GZIN2108045945PS  
Date : Aug 16, 2021  
Page: 4 of 4



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Pencil Hardness Tester	BEVS 1301/750M	GZMR-AG-ED05-07	2021-02-26	2022-02-25

\*\*\*\*\*End of report\*\*\*\*\*






7 x 5 inch

MM - 851

7 x 5 inch


MM - 852

White is an inherently positive colour, is associated with purity, innocence, light, goodness, brilliance, faith and perfection. White is a color that is made with all of the colors. The color white represents a successful beginning. The color white is reflective and stimulates openness, growth and creativity.




3 x 5 inch

MM - 853



3 x 5 inch

MM - 854



3 x 5 inch

MM - 855




3 x 5 inch

MM - 856


**M**ilk white, pearl, off-white, and opaline are synonymous with ivory or represent various shades of the color ivory. It's the color of the tusks of elephants and walrus and has a slightly yellow or off-white aspect to it. The color ivory provides a relaxing effect. Use it to set a tone of understated elegance. It's especially suited to formal wedding invitations and for elegant, personal stationery.



Shades of Material Design Gray color hex Brand original color codes, ... shades of blue Ocean blue color palette made up of monochromatic shades of blue.



MM - 857




MM - 858




3 x 5 inch

MM - 859




3 x 2 inch

MM - 860



3 x 2 inch

MM - 861



3 x 5 inch

MM - 862



3 x 5 inch


MM - 863

Ocean is blue because water absorbs colors in the red part of the light spectrum. Like a filter, this leaves behind colors in the blue part of the light spectrum for us to see. The ocean may also take on green, red, or other hues as light bounces off of floating sediments and particles in the water.





MM - 864



MM - 865



MM - 866



MM - 867



MM - 868



MM - 870



MM - 869


Color Meaning of Blue Explained; symbolism, psychology, word associations, intrigue facts about blue and how to use this favorite of all colors effectively.




**P**each is a color that is named for the pale color of the interior flesh of the peach fruit. This name may also be substituted for "peachy." Like the color apricot, the color peach is paler than most actual peach fruits and seems to have been formulated (like the color apricot) primarily to create a pastel palette of colors for interior design.



MM - 871




MM - 872



MM - 874



MM - 873




MM - 875



MM - 876




**W**hite is the lightest color and is achromatic (having no hue). It is the color of fresh snow, chalk, and milk, and is the opposite of black. White objects fully reflect and scatter all the visible wavelengths of light.



MM - 951



MM - 952



MM - 953



MM - 954



MM - 955




Shades of white are colors that differ only slightly from pure white. Variations of white include what are commonly termed off-white colors, which may be considered part of a neutral color scheme.

*a Touch of  
 Elegant*



3 x 2 inch

MM - 956




7 x 5 inch


MM - 957




**S**and is a very light and very weakly saturated reddish yellow color which corresponds specifically to the coloration of sand. It may also be regarded as a deep tone of beige.



MM - 958




MM - 959



MM - 960




**R**ed colour symbolizes enthusiasm, life and vitality. The day started off with the colour red every- where. "The colour of love and smiles J illuminates the air with energy, vigour and exuberance....."




3 x 5 inch

MM - 961




3 x 5 inch

MM - 962



3 x 5 inch

MM - 963



3 x 5 inch

MM - 964



Colour affects our moods. For example, blue is calm, red is aggressive, pink suppresses anger and anxiety, bright yellow is the most irritating colour because of its excessive stimulation on the eye. Colours also affect consumers.

*Happiness  
is  
Homemade*



3 x 2 inch

MM - 865

7 x 5 inch

MM - 966

# INDEX

Design No.	Finish	Page No.
MN - 851	Solid	02
MN - 852	Solid	02
MN - 853	Solid	04
MN - 854	Solid	04
MN - 855	Solid	04
MN - 856	Solid	04
MN - 857	Solid	06
MN - 858	Solid	06
MN - 859	Solid	08
MN - 860	Solid	08
MN - 861	Solid	08
MN - 862	Solid	08
MN - 863	Solid	08
MN - 864	Solid	10
MN - 865	Solid	10
MN - 866	Solid	10
MN - 867	Solid	10
MN - 868	Solid	10
MN - 869	Solid	10
MN - 870	Solid	10
MN - 871	Solid	12

Design No.	Finish	Page No.
MN - 872	Solid	12
MN - 873	Solid	12
MN - 874	Solid	12
MN - 875	Solid	12
MN - 876	Solid	12
MN - 951	Metallic	14
MN - 952	Metallic	14
MN - 953	Metallic	14
MN - 954	Metallic	14
MN - 955	Metallic	14
MN - 956	Metallic	16
MN - 957	Metallic	16
MN - 958	Metallic	18
MN - 959	Metallic	18
MN - 960	Metallic	18
MN - 961	Metallic	20
MN - 962	Metallic	20
MN - 963	Metallic	20
MN - 964	Metallic	20
MN - 965	Metallic	22
MN - 966	Metallic	22



"Recommended Adhesive for  
**ACRYLIC SHEETS**

**MAGNETT**  
BOND

Special wood adhesive for PVC, Acrylic & Charcoal Sheet



## FAQS



Acrylic are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Debonding in certain areas because of uneven substrate surface



Use of extremely large acrylic/PVC laminate sheets (more than 6 ft x 2 ft long)



Insufficient or lack of pressing during the bonding period of laminate

## TECHNICAL SPECIFICATIONS

Parameters	Glazze Acrylic Laminate	High Gloss Laminate Mica	PU coating/ Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Antisractch	NO	NO	NO
Color Consistency	Excellent	Not good	Not good	Not good
Orange peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	NO	YES	YES	YES