

Contact us

MARKETING OFFICE

New Delhi: 70, KLJ Complex, 2nd Floor, Moti Nagar,
New Delhi-110015, India
P: 011-45557000, 25107617
E: merinodelhi@merinoindia.com

REGISTERED OFFICE

5, Alexandra Court, 60/1,
Chowringhee Road, Kolkata-700020, India
P: 033-22901214/1215
E: merinokol@merinoindia.com

FACTORY OFFICES

Hapur : Village-Achheja, PO-Hapur-245 101
Dist.-Hapur (U.P.), India
P: 0122-3082500, 2308601
E: merinohapur@merinoindia.com
(FSC COC certified)

Rohad: 44 KM. Stone, Delhi-Rohtak Road, Rohad,
Distt. Jhajjar, Haryana-124501, India
P: 01276-221000, 304900
E: merinorohad@merinoindia.com
(FSC COC certified)

Hosur : Bagalur Road, Kalahasthipuram Village,
Hosur Taluk, Distt. Krishnagiri,
Tamil Nadu-635103, India
P: 04344-293545, 327765
E: merinohosur@merinoindia.com
(FSC COC certified)

Dahej: Plot No D2/CH/36, Dahej II Industrial Estate,
Village Vadala, PO Dahej, District Bharuch,
Gujarat-392130.
P: +91 - 7283888832

BRANCH OFFICES

Ahmedabad: P: 079-30075775, 26589511
E: merinoahm@merinoindia.com
Bengaluru: P: 080-42418000
E: merinobl@merinoindia.com

Bhubaneswar : P: 0674-3255594, 2597795
E: merinobbsr@merinoindia.com

Chandigarh: P: 7087001162/63
E: merinochd@merinoindia.com

Chennai: P: 044-49303333, 49303300,
E: merinoch@merinoindia.com

Coimbatore : P: 0422-4243333
E: merinocbt@merinoindia.com

Indore: P: 07312862272

Ludhiana: P: 7347025195
E: merinoludhiana@merinoindia.com

New Delhi: P: 011-30515300, 25448011
E: merinopg@merinoindia.com

Hyderabad: P: 040-27901103, 1202, 1203, 64590033
E: merinohyd@merinoindia.com

Jaipur: P: 0141-2206159, 2209505, 2209506
E: merinojaipur@merinoindia.com

Kochi: P: 0484-2398265, 2397972, 4183301/ 4183333
E: merinokochi@merinoindia.com

Mumbai: P: 022-67991970/71/72
E: merinomum@merinoindia.com

Nagpur : P: 0712-2436372, 2457123
E: merinonagpur@merinoindia.com

Pune: P: 020-24212025, 24214025
E: merinopune@merinoindia.com

Tinsukia: P: 0374-2338975, 2340975

Vijayawada : M +91 91 9686446121
E: merinohyd@merinoindia.com

www.merino-hanex.com




ECONOMY • EXCELLENCE • ETHICS



Beauty that's forever.

MERINO - HANEX SOLID SURFACES



SHOPPING MALLS

HOSPITALS

SCHOOLS

KITCHENS

RESTAURANTS

SHOWROOMS

BATHROOMS

OFFICES

CONTENTS

WHY MERINO-HANEX?.....3
PERFORMANCE TEST AND WARRANTY.....4
CERTIFICATION.....5
LIMITLESS POSSIBILITIES FOR YOUR DESIGNS.....6
APPLICATIONS.....7-10
PRODUCT SAMPLES11-12
CARE & MAINTENANCE.....13
TECHNICAL SPECIFICATIONS.....14

CERTIFICATION & ACCREDITATION

At Merino, maintaining quality is a tradition which is lived with a passion. We encourage the adherence to safety standards, promote ease-of-application, strive to reduce installation time, and help our customers maintain their interiors with relevant usage information.



ISO 14001:2004
OHSAS 18001:2007
ISO 9001:2008

LIMITLESS POSSIBILITIES FOR YOUR DESIGNS

Now see your wildest designs come to life with Merino - Hanex Solid Surfaces. Crafted with a unique blend of acrylic resins and natural materials, these Merino - Hanex Solid Surfaces are available in sheets that can be cut, shaped and formed into a boundless range of designs. Unlike other surfacing materials, it can be repaired and restored to their original condition when desired. These solid surfaces can be fabricated and installed in both residential and commercial applications with inconspicuous seams giving your interiors unmatched durability and design flexibility.



WHY MERINO - HANEX SOLID SURFACES?

Easy to fabricate: These solid surfaces can be fabricated into any shape and can be joined without visible seaming line.

Durability: Excellent in both colour and durability, these solid surfaces are the best choice as finishing materials for interiors. These are stronger than natural stone and maintain their shapes and beauty in any condition.

Stability: These solid surfaces are thermally stable. These surfaces are heat resistant, hot water resistant, chemical resistant, stain resistant, UV stable and can stand all weather changes on interior applications.

Easy to maintain and repair: These solid surfaces are water resistant, which makes them easy to maintain and a perfect fit for damp areas such as bathrooms and kitchens.

Refined design and unlimited possibilities of application: These solid surfaces offer style that is comparable to natural stone or marble and can be used in any indoor application. With a wide range of colours and patterns, it they provide elegance and aesthetic interiors.



RIGOROUS CHEMICAL AND STAIN PERFORMANCE TESTS

Merino - Hanex Solid Surfaces have undergone vigorous chemical and stain resistance testing as per ASTM-D & NEMA standards. NSF51 certified, these solid surfaces are perfect for food preparation areas and can be used in many applications where sanitation is of utmost importance, such as kitchen countertops, hospitals, playrooms, schools and many more. These solid surfaces can be fabricated and installed in almost any application without conspicuous seams, making Merino - Hanex Solid Surfaces truly 'solid' in surfacing materials.



10 YEARS LIMITED WARRANTY*

Merino - Hanex Solid Surfaces come with a 10-year limited warranty. These should only be fabricated and installed by certified fabricators, so you have the assurance of quality product, expert installation and the backing of our customer service support.

*Terms and conditions apply.

MERINO - HANEX SOLID SURFACES

BATHROOM



KITCHEN



OFFICES



RESTAURANT




MERINO- HANEX COLLECTION



ST - 101
CLARA



ST - 102
MARELINHO



S T-301
OYESTER PEARL



D-101
NANTUCKET



T-090
RUBINSTEIN



ST-106
GRENCIO



BL-202
FLAXEN



ST-202
WALNUT



T-089
VOCALISE



T-021
PURE ARCTIC



D-025
LIGHTSAND




M-06
N-YELLOW




D-102
SEASHORE



GL-001
PEGASUS



GL-002
ARIES



S-002
WHITE




S-021
ASHMUD



M-009
CHARCOAL SKETCH




U-002
CONCRETE GREY




T-201
FETA CHEESE



T-209
GROVIZU



S-22
STEEL




P-005
NIGHTGLEAM



D-007
MIST

MERINO- HANEX COLLECTION



S-019
BROWN FEVER



ST-201
ROMANO



T-204
SILK VIVIAN



S-014
AQUEOUS



D-003
GOLD BROWN



ST-105
MORENO



D-028
BLACK BEAT



P-010
GLUTTONY




T-012
H-ELEGANCE



D-037
DIJON BEIGE



M-003
M-RED




S-25
CHERRY BLOSSOM



D-012
LIGHT BROWN




D-001
SILVER STONE




S-004
IVORY



M-005
N-ORANGE



M-007
BLACK



S-008
N-WHITE



S-018
BEIGH BREEZE



D-024
SILVER WHITE




P-002
METAL GREY



C-001
CUBIC WHITE



P-004
SOLARIS



T-043
GANGEES BANK

CARE & MAINTENANCE

Everyday cleaning: Wipe clean with a damp cloth or sponge. For basic stains, clean with mild detergents or general all purpose cleaners. Periodically go over surface with a mild abrasive cleanser to maintain a uniform appearance.

Heat damage: To prevent any damage from heat, never place hot items directly on the surface. Always use trivets with rubber feet when placing hot items on the Solid Surface.


Chemical damage: Avoid contact with strong chemicals that can cause damage to the surface such as oven cleaners, acetone, paint removers and other strong chemicals. If exposed, promptly rinse with water. Remember, prolonged contact with harsh chemicals can cause serious damage to the Solid Surface.

Simple steps to avoid damage: Avoid cutting directly on the Solid Surface. Always use a cutting board. Never place hot pans directly on the Solid Surface.

Removing persistent stains: To remove persistent stains or scratches, scrub the stained area with a mild abrasive cleanser. Deep scratches and/or other damages may require professional repair. Only Hanex Joint Adhesive is recommended for use on Merino - Hanex Solid Surfaces.

TECHNICAL SPECIFICATIONS

PROPERTIES	UNIT	RESULT	TEST STANDARD
Specific Gravity	g/cm ³	1.8	
Tensile Strength	Psi	5,400	ASTM D 638
Tensile Modulus	Psi	1.4 x 10 ⁶	ASTM D 638
Elongation	% min	0.42	ASTM D 638
Flexural Strength	Psi	9,200	ASTM D 790
Flexural Modulus	Psi	1.38 x 10 ⁵	ASTM D 790
Hardness (Rockwell)	-	92	ASTM D 785
Thermal Expansion	Mm/mc	3.04 x 10 ⁻⁵	ASTM D 696
Gloss (60° Gardner)	-	5 ~ 20	ANSI Z 124
Colour Stability	-	No Change	NEMA LD 3
Wear & Cleanability	-	Passes	ANSI Z 124
Boiling Water Surface Resistance	-	No Change	NEMA LD 3
High Temperature Resistance	-	No Change	NEMA LD 3
Stain Resistance	-	Passes	NEMA LD 3
Impact Resistance	-	No Fracture	NEMA LD 3
IZOD Impact Strength	Ft. lbs/in	0.28	ASTM D 256
Water Absorption Weight	% max	0.03	ASTM D 570
Fungi & Bacteria	-	No Attack	ANSI Z 124
Weatherability	-	No Change	ASTM D 1499
NSF 51	Listed	All Colours	NSF



HANEX IS THE REGISTERED TRADE MARK OF HANWHA L&C - SOUTH KOREA.



MERINO - HANEX SOLID SURFACES