

## Dewellery for your Furniture!











AARI Ethnic Laminates powered by GLO have all the style of Ethnicity.

They combine excellent aesthetic quality with properties and virtues of interest to those who conceive or create interior design solutions, starting from ductility and strength.

Aari Ethnic Laminates are made of material that is both easy to work with and extremely strong: resistant to scratches, impact, abrasion, chemical substances, and heat.


These characteristics make it ideal for a wide range of applications.

To ensure additional properties Aari Ethnic Laminates can be, in fact, antibacterial and fireproof, therefore especially suitable for applications in public places or in cases in which a high degree of hygiene is particularly important, from kitchens, to means of transportation, to hospitals.

## **Technical Specification**

Properties	Specified values
Thickness	1.25mm (±0.10mm)
Dimensional stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.55 (Maximum) 1.025 (Maximum)
Dimensional stab ility at 20°C - Longitudinal (%) - Transverse (%)	0.375 (Maximum) 0.60 (Maximum)
Resistance to dry heat 180°C	Not worse than Grade 4
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance	10.0 (Maximum) 11.8 (Maximum) Not worse than Grade 4
Resistance to impact by small diameter ball	20 N (Minimum)
Resistance to cracking	Not worse than Grade 4
Resistance to scratching	2 N (Minimum)
Resistance to staining	Not worse than Grade 5
Resistan ce to cigarette burns	Not worse than Grade 3
Resistance to steam	Not worse than Grade 4
Resistance to colour change (wool standards) - In Xenon arc light - In enclosed Carbon arc light	Not worse than Grade 6 Not worse than Grade 5
Resistance to surface wear	350 (revolution)
Appearance	Should be free from foreign particles






Model No.: 6201 (Bronze), Size: 8'x4', Thickness: 1.25mm








GL CHE




Gless









Gle





GL CHE



Glean





GLO.












Model No.: 6204 (Copper), Size: 8'x4', Thickness: 1.25mm



Model No.: 6204 (Silver), Size: 8'x4', Thickness: 1.25mm







 $\textbf{Model No.: } 6205 \ (Copper), \ \textbf{Size: } 8'x4', \ \textbf{Thickness: } 1.25 mm$ 



Model No.: 6205 (Silver), Size: 8'x4', Thickness: 1.25mm



Model No.: 6206 (Copper), Size: 8'x4', Thickness: 1.25mm




Model No.: 6206 (Gold), Size: 8'x4', Thickness: 1.25mm



Model No.: 6206 (Silver), Size: 8'x4', Thickness: 1.25mm



GLO COME







Model No.: 6207 (Gold), Size: 8'x4', Thickness: 1.25mm



Model No.: 6207 (Silver), Size: 8'x4', Thickness: 1.25mm



Model No.: 6208 (Copper), Size: 8'x4', Thickness: 1.25mm








Model No.: 6209 (Copper), Size: 8'x4', Thickness: 1.25mm



Model No.: 6209 (Gold), Size: 8'x4', Thickness: 1.25mm



Model No.: 6210 (Bronze), Size: 8'x4', Thickness: 1.25mm



Model No.: 6210 (Silver), Size: 8'x4', Thickness: 1.25mm








Model No.: 6211 (Silver), Size: 8'x4', Thickness: 1.25 mm







Model No.: 6212 (Silver), Size: 8'x4', Thickness: 1.25mm



## <u>Important Information</u>:-

- → Clean your hands before applying Aari Laminates.
- → Before applying, clean the sheet with Water wet cloth.
- → Do not use Spirit, Kerosene, Petrol, Alcohol or any other chemical to clean
- → Do not rub hard on the Metal Foil design.
- → Be careful while cutting the sheet, kindly keep a plastic film on the Metal Foil design while cutting.
- → Between 2 sheets, please always keep plastic film.
- → Adhesive marks the surface to be cleaned immediately with Water wet cloth

**Note:** This is a Designer Laminates sheet, hence special care to be taken for the Surface Metal foil design.



Powered by

